

Product Information

S7-Panel-PLC

PC709P

















(valid from PLC version PC709P-xxx-03)

Changes to older versions of this document

 $\mbox{\bf Rev. 02} \rightarrow \mbox{\bf 03:}$ description of Profibus-signals made compatible to Siemens-manuals

 $\mbox{\bf Rev. 03} \rightarrow \mbox{\bf 04:}$ new front foil, new images, new design line, connectors added



Description

Panel-PLC with **TFT-color touch display**

- PC709P 7" TFT (800x480 Pixel/ WVGA)

Standard configuration:

- RS232 with
 - free ASCII-protocol

• RS485 with

- free ASCII-protocol
- Modbus RTU
- with switchable terminate resistors for RS485

Ethernet with

- RFC1006.
- Send/ Receive via TCP and UDP,
- Modbus TCP

CAN with

- protocol compatible to CANopen[®]
- layer2-communication
- with switchable terminate resistors for CAN

Micro-SD-slot

- for SD-cards up to 8 GByte
- · Run/Stop-switch
- Status LEDs for Power, Battery, Error, Run
- Inserting stripes for Logo and identification (thereby customized adaption possible easy)

optional configuration:

(optional)

- Profibus DP-Master
- Profibus DP-Slave
- with switchable terminate resistors for Profibus




Figure above: Panel-PLCs PC709P, rear view and view from the side




Figure above: Identification of all CPUs of all Panel-PLCs basic devices with CPUs of type V or P and with Profibus DP Master



Technical data	Device		
Dimensions W x H x D (mm) Cut out W x H (mm) Weight	182 x 140 x 95 163 x 118 ca. 800 g		
Operating temperature range Storage temperature range	-20°C +60°C (without condensation) -30°C +80°C		
IP-protection class front panel rear side	IP65 IP41		
Connection technology	connector with pin-marked pushers and 2 lift-arms or 2x bolt flanges on side (cage clamp technology) for cross sections up to max. 1,5mm ²		
Load voltage L+	24V DC (11 V 30V DC)		
Current consumption Power dissipation	100mA 750mA 3W(typ.) 10W(max.)		
Start-up current	< 3A		
Diagonal of display (inch) Display resolution (pixel)	7" (178mm) 800x480 Pixel (WVGA)		
Display unit Operating unit	TFT display with 16Bit colours analog resisitive touch screen		
Visualization software Reference unit	VisuStage PC700		
Technical data	CPUs		
CPU-type	Type P (PC709P)		
Working memory = battery backed load memory Diagnostic buffer	640kB, thereof 384 kByte remanent data 100 messages (all remanent)		
Flash internal for visualization external memory card	24 MByte Micro SD, up to max. 8 GByte (not necessary for operation)		
OB, FC, FB, DB Lokal data Number of in- and outputs Process image Number of Merkerbytes Number of Taktmerker Number of timer, counter Depth of nesting	each 1.024 32kByte (2kByte per block) in each case 2.048 Byte (16.384 Bit) addressable in each case 2.048 Byte (default set is 128 Byte) 2.048 (remanence adjustable, default set is 015) 8 (1 Merkerbyte) in each case 256 (each remanence adjustable, default set is 0) up to 16 code blocks		
Real-time clock elapsed hour counter	yes (accumulator-backed hardware clock) 1 (32Bit, resolution 1h)		
Program language Program system	STEP 7® - AWL, KOP, FUP, S7-SCL, S7-Graph from SIEMENS SIMATIC® Manager from SIEMENS or compatible products		
Operating system Program unit to reference	compatible to S7-300® from SIEMENS CPU 315-2PNDP		
Serial interfaces (protocols)	COM1: RS 232 (free ASCII) COM2: RS 485 (free ASCII, Modbus-RTU)		
Ethernet (protocols)	Ethernet: 10/100 Mbit with CP343 functionality (RFC1006, TCP, UDP, Modbus-TCP)		
CAN (protocols)	CAN-Telegrams (Layer 2), compatible to CANopen® MasterSlave 10 kBaud 1 MBaud		
Profibus (protocols)	Profibus DP V0 master/ slave 9,6kBaud 12 MBaud		
Onboard periphery	7 free slots for INSEVIS periphery modules		
Decentral periphery	- INSEVIS- Periphery (with automatic configuration via "ConfigStage") - all CANopen® slaves according to DS401 - all Profibus DP-V0-slaves - diverse external periphery families		

TI_PC709P_engl_Rev04 3/4



Control panel cut out


Dimensions

Cut out W x H (mm) 163 x 118 6 holes with D 4,5mm

Mounting depth ca. 95mm max.

Wiring outlet

- 45° to the bottom rear view and horizontal mounting)
- 45° to the left (rear view and vertical mounting)



An 1:1 pattern as drill jig is available as PDF at INSEVIS web site for this product Print it 1:1 and use it for marking the cut out.

<u>Drill jig</u>

Ordering data devices

Identification	Standard	with Profibus DP Master	with Profibus DP Slave
S7-Panel-PLC PC709P	PC709P-0-03	PC709P-DPM-03	PC709P-DPS-03

Ordering data accessoires

Identification / Order-No.	Identification / Order-No.
Periphery module DI16 / PM-DI16-02	Periphery module MIO84 / PM-MIO84-02
Periphery module DIO16 / PM-DIO16-02	Periphery module Al8O2 / PM-Al8O2-02
Periphery module DO-4R / PM-DO4R-02	Periphery module Al4O4 / PM-Al4O4-02
Functional module DIO8-Z (configurations reg. catalog)	Periphery module RTD802 / PM-RTD8O2-02
Connector 2x8pin (for PLC) / E-CON(S)16-00	Connector 1x8pin (for DO4R) / E-CON8-00
Connector 2x10pin (for digital PM) / E-CON(S)20D-00	Mounting / grounding set for 5,7" / 7"-devices * / E-MNT57-00 (PU10 pcs.)
Connector 2x10pin (for analog PM) / E-CON(S)20A-00	Profibus-adapter for 12MBaud-nets / E-AD-DP12
OEM-Firmware with customized logo included / SW-BS-OEM	OEM-Inserting stripe V for logo and identification for rear side (PU100)
Micro SD-card 1/2/4/8GB (ext. memory) / E-MSD1/2/4/8-00	

^{* (}part of the first deliuvery already)

Qualified personnel

All devices described in this manual may only be used, built up and operated together with this documentation. Installation, initiation and operation of these devices might only be done by instructed personnel with certified skills, who can prove their ability to install and initiate electrical and mechanical devices, systems and current circuits in a generally accepted and admitted standard.

Manuals, sample programs

Additional documentation by manuals is available as well sample applications at the download area of www.insevis.com in English language for free download.

Copyright

This and all other documentation and software, supplied or hosted on INSEVIS web sites to download are copyrighted. Any duplicating of these data in any way without express approval by INSEVIS GmbH is not permitted. All property and copy rights of theses documentation and software and every copy of it are reserved to INSEVIS GmbH.

Trade Marks

INSEVIS refers that all trade marks of particular companies used in own documentation are reserved trade marks are property of the particular owners and are subjected to common protection of trade marks.

Disclaimer

All technical details in this documentation were created by INSEVIS with highest diligence. Anyhow mistakes could not be excluded, so no responsibility is taken by INSEVIS for the complete correctness of this information. This documentation will reviewed regularly and necessary corrections will be done in next version. With publication of this data all other versions are no longer valid.

INSEVIS Gesellschaft für Systemelektronik und Visualisierung mbH • Am Weichselgarten 7 • D-91058 Erlangen